

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5		

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	ATA NRG Growth-C	1 - 3 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
	ATA NRG Bloom-C			1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	water
BLOOMING PRODUCTS EC+	ATA NRG Flavor							0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	water
	ATA NRG Root-C	1 - 5 ml									water
BOOSTERS & STIMULATORS EC 0+	ATA NRG Flower-C		1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	water
	ATA NRG Alga-C		1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	water
ADDITIVES											



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5	1.2 - 2.8	

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	 B'cuzz Soil A	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.8 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 B'cuzz Soil B	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.8 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 ATA CalMag	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	water
BLOOMING PRODUCTS EC+	 B'cuzz Blossom Builder			0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	water
BOOSTERS & STIMULATORS EC 0+	 B'cuzz Soil Booster Uni		0.5 ml								water
	 B'cuzz Bloom Stimulator			0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	water
	 B'cuzz Root Stimulator	1 - 1 ml	0.5 - 1 ml								water
	 B'cuzz Silic Boost	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml				water
ADDITIVES	 Atazyme		1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5	1.2 - 2.8	

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	 ATA Terra Leaves	2 - 4 ml	3 - 5 ml								water
	 ATA Terra Max			3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
	 ATA CalMag	0.4 - 0.8 ml	0.3 - 0.7 ml	0.3 - 0.7 ml	0.3 - 0.6 ml	0.3 - 0.6 ml	0.2 - 0.5 ml	0.2 - 0.5 ml	0.2 - 0.4 ml	0.2 - 0.4 ml	water
BLOOMING PRODUCTS EC+	 Bloombastic			0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.3 - 0.6 ml				water
	 Rokzbastic						0.3 - 0.6 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	water
BOOSTERS & STIMULATORS EC 0+	 Rootbastic	0.1 ml	0.1 - 0.3 ml								water
	 B'cuzz Silic Boost	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml				water
ADDITIVES	 Atazyme		1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5	1.2 - 2.8	

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	
BASE NUTRIENTS EC++	 B'cuzz Soil A	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.5 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 B'cuzz Soil B	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.5 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 ATA CalMag	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	water
BLOOMING PRODUCTS EC+	 Bloombastic			0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.3 - 0.6 ml				water
	 Rokzbastic						0.3 - 0.6 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	water
BOOSTERS & STIMULATORS EC 0+	 B'cuzz Soil Booster Uni		0.5 ml								water
	 B'cuzz Bloom Stimulator			0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	water
	 Rootbastic	0.1 ml	0.1 - 0.3 ml								water
	 B'cuzz Silic Boost	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml				water
ADDITIVES	 Atazyme		1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5		

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	 ATA NRG Growth-C	1 - 3 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
BLOOMING PRODUCTS EC+	 Bi-Bloombastic			1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	water
BOOSTERS & STIMULATORS EC 0+	 ATA NRG Root-C	1 - 5 ml									water
	 ATA NRG Flower-C		2 - 5 ml	2 - 5 ml	2 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
ADDITIVES	 ATA NRG Alga-C		1 - 2 ml	2 - 3 ml	2 - 3 ml	3 - 4 ml	3 - 4 ml	3 - 4 ml	3 - 4 ml	3 - 4 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5		

BASE
NUTRIENTS
EC++

PRODUCT	GROWTH		FLOWERING							
	Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
 ATA NRG Upgrade	1 - 3 gr*	3 - 6 gr*	2 - 4 gr*							water

BLOOMING
PRODUCTS
EC+

 Bi-Bloombastic			1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	water

BOOSTERS &
STIMULATORS
EC 0+

 ATA NRG Root-C	1 - 5 ml									water

ADDITIVES

 ATA NRG Alga-C		1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5		

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	ATA NRG Growth-C	1 - 3 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
	ATA NRG Bloom-C			3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
BLOOMING PRODUCTS EC+	Bi-Bloombastic			1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	water
	ATA NRG Root-C	1 - 5 ml									water
BOOSTERS & STIMULATORS EC 0+	ATA NRG Flower-C		2 - 5 ml	2 - 5 ml	2 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
	ATA NRG Alga-C		1 - 2 ml	2 - 3 ml	2 - 3 ml	3 - 4 ml	3 - 4 ml	3 - 4 ml	3 - 4 ml	3 - 4 ml	water
ADDITIVES											



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5		

PRODUCT	GROWTH		FLOWERING								
	Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening	
 ATA NRG Upgrade	1 - 3 gr*	3 - 6 gr*	2 - 4 gr*								water
 ATA NRG Bloom-C			1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml		water
 ATA NRG Root-C	1 - 5 ml										water
 ATA NRG Alga-C		1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml		water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5	1.2 - 2.8	

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	
BASE NUTRIENTS EC++	 B'cuzz Soil A	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.5 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 B'cuzz Soil B	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.5 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 ATA CalMag	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	water
BLOOMING PRODUCTS EC+	 Bloombastic			0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.3 - 0.6 ml				water
	 Rokzbastic						0.3 - 0.6 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	water
BOOSTERS & STIMULATORS EC 0+	 B'cuzz Soil Booster Uni		0.5 ml								water
	 B'cuzz Bloom Stimulator			0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	water
	 Rootbastic	0.1 ml	0.1 - 0.3 ml								water
	 B'cuzz Silic Boost	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml				water
ADDITIVES	 Atazyme		1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5	1.2 - 2.8	

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	 B'cuzz Soil A	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.8 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 B'cuzz Soil B	2 - 3 ml	2.8 - 3.8 ml	3.5 - 4.5 ml	4 - 5 ml	4 - 5 ml	3.8 - 4.8 ml	3.8 - 4.8 ml	3.5 - 4.5 ml	3.5 - 4.5 ml	water
	 ATA CalMag	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.2 - 0.3 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	0.1 - 0.2 ml	water
BLOOMING PRODUCTS EC+	 B'cuzz Blossom Builder			0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	0.4 - 0.8 ml	water
BOOSTERS & STIMULATORS EC 0+	 B'cuzz Soil Booster Uni		0.5 ml								water
	 B'cuzz Bloom Stimulator			0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	water
	 B'cuzz Root Stimulator	1 - 1 ml	0.5 - 1 ml								water
	 B'cuzz Silic Boost	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml				water
ADDITIVES	 Atazyme		1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5	1.2 - 2.8	

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	 ATA Terra Leaves	2 - 4 ml	3 - 5 ml								water
	 ATA Terra Max			3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
	 ATA CalMag	0.4 - 0.8 ml	0.3 - 0.7 ml	0.3 - 0.7 ml	0.3 - 0.6 ml	0.3 - 0.6 ml	0.2 - 0.5 ml	0.2 - 0.5 ml	0.2 - 0.4 ml	0.2 - 0.4 ml	water
BLOOMING PRODUCTS EC+	 Bloombastic			0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.3 - 0.6 ml				water
	 Rokzbastic						0.3 - 0.6 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	0.6 - 1.2 ml	water
BOOSTERS & STIMULATORS EC 0+	 Rootbastic	0.1 ml	0.1 - 0.3 ml								water
	 B'cuzz Silic Boost	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml	0.1 ml				water
ADDITIVES	 Atazyme		1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	1 ml	water



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.

DOSAGE	SUBSTRATE	pH VALUE	EC VALUE	TANK CONTENT
ml/liter	Soil	5.8 - 6.5		

	PRODUCT	GROWTH		FLOWERING							
		Growth	Growth	Early Bloom	Early Bloom	Bloom	Bloom	Early ripening	Early ripening	Ripening	Ripening
BASE NUTRIENTS EC++	ATA NRG Growth-C	1 - 3 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	3 - 5 ml	water
	ATA NRG Bloom-C			1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	1 - 3 ml	water
BLOOMING PRODUCTS EC+	ATA NRG Flavor							0.5 - 1 ml	0.5 - 1 ml	0.5 - 1 ml	water
	ATA NRG Root-C	1 - 5 ml									water
BOOSTERS & STIMULATORS EC 0+	ATA NRG Flower-C		1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	1 - 5 ml	water
	ATA NRG Alga-C		1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	1 - 2 ml	water
ADDITIVES											



Disclaimer

- Use nutrition with every watering
- This growing schedule has been compiled for different types of flower and fruit-bearing plants.
- The duration of the indicated periods depends on the plant species.

- All stated doses are indications and depend on type of plant, plant conditions, environment and light intensity.
- Always be guided by the EC when adjusting the doses.

- Fertilise in all irrigations if the irrigation system is automatic. Use ATA clean in a couple of irrigations every week at a dosage of 0,1 ml/l to clean pumps, filters, drippers, tanks, pipes.